(in accordance with Regulation (EU) 2020/878)

MANNI-PLEX COMBI

BRANDT

Version 1Date of compilation: 17/12/2018Version 6 (replaces version 5)Revision date: 27/10/2022

Page 1 of 10 Print date: 12/01/2023

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

1.1 Product identifier.

Product Name: UFI: MANNI-PLEX COMBI AE50-S0SV-900C-G73N

1.2 Relevant identified uses of the substance or mixture and uses advised against.

FERTILIZANTE

Uses advised against:

Uses other than those recommended.

1.3 Details of the supplier of the safety data sheet.

| Company: BRANDT Address: Ctra. Carmo City: 41410 - Carr | na - Guadajoz Km 3.1 |
|---|----------------------|
| Province:SevillaTelephone:95 419 62 30Fax:95 419 62 40E-mail:Brandt.EuropWeb:www.brandt | 0 pe@Brandt.co |

1.4 Emergency telephone number: (34) - 91 562 04 20 (Available 24 hours)

SECTION 2: HAZARDS IDENTIFICATION.

2.1 Classification of the substance or mixture.

In accordance with Regulation (EC) No 1272/2008: Aquatic Chronic 2 : Toxic to aquatic life with long lasting effects. Eye Dam. 1 : Causes serious eye damage. Repr. 1B : May damage fertility or the unborn child. Skin Corr. 1C : Causes severe skin burns and eye damage.

2.2 Label elements.

Labelling in accordance with Regulation (EC) No 1272/2008: Pictograms:



Signal Word:

н

Danger

| lazard | statements: | |
|--------|-------------|---|
| 1.12. | | ~ |

| H314 | Causes severe skin burns and eye damage. |
|--------|--|
| H360FD | May damage fertility. May damage the unborn child. |
| H411 | Toxic to aquatic life with long lasting effects. |
| | |

Precautionary statements:

P201 Obtain special instructions before use.

- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P264 Wash ... thoroughly after handling.
- P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

(in accordance with Regulation (EU) 2020/878)

MANNI-PLEX COMBI

BRANDT

Version 1Date of compilation: 17/12/2018Version 6 (replaces version 5)Revision date: 27/10/2022

Page 2 of 10 Print date: 12/01/2023

P310 Immediately call a POISON CENTER/doctor/...

Contains: disodium octaborate tetrahydrate manganese dinitrate

2.3 Other hazards.

The mixture does not contain substances classified as PBT. The mixture does not contain substances classified as vPvB. The mixture does not contain any endocrine disrupting properties substances.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

3.1 Substances.

Not Applicable.

3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

| | | | (*)Classification - Regulation (EC) No 1272/2008 | |
|--|----------------------------------|-------------|--|---|
| Identifiers | Name | Concentrate | Classification | Specifics concentration limits and Acute toxicity estimate |
| CAS No: 10377-66-9 EC No: 233-828-8 Registration No: 01- 2119980631-35-XXXX | [1] [2] manganese dinitrate | 5 - 10 % | Acute Tox. 4, H302 - Aquatic Chronic 3, H412 - Eye Dam. 1, H318 - Ox. Sol. 2, H272 - STOT RE 2, H373 - Skin Corr. 1C, H314 | - |
| CAS No: 7779-88-6 EC No: 231-943-8 Registration No: 01- 2119488498-16-XXXX | zinc nitrate | 2.5 - 10 % | Acute Tox. 4, H302 - Aquatic Acute 1, H400 (M=1) - Aquatic Chronic 1, H410 (M=1) - Eye Irrit. 2, H319 - Ox. Sol. 2, H272 - STOT SE 3, H335 - STOT SE 3, H336 - Skin Irrit. 2, H315 | - |
| Index No: 005-020- 00-3 CAS No: 12280-03-4 EC No: 234-541-0 Registration No: 01- 2119490860-33-XXXX | disodium octaborate tetrahydrate | 0.3 - 2.5 % | Repr. 1B, H360FD | - |

(*) The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

[1] Substance with a European Union exposure limit in the workplace (see section 8.1).

[2] Substance with a national workplace exposure limit (see section 8.1).

SECTION 4: FIRST AID MEASURES.

4.1 Description of first aid measures.

(in accordance with Regulation (EU) 2020/878)

MANNI-PLEX COMBI

BRANDT

Version 1 Date of compilation: 17/12/2018

Version 6 (replaces version 5) Revision date: 27/10/2022

Page 3 of 10 Print date: 12/01/2023

Delayed effects may occur after the exposure to the product.

Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

Eye contact.

Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance. Dont let the person to rub the affected eye.

Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners. The use of personal protective equipment is recommended for people providing first aid (see section 8).

Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed.

Corrosive Product, contact with eyes or skin can cause burns; ingestion or inhalation can cause internal damage, if this occurs immediate medical assistance is required.

Long-term chronic exposure may result in injury to certain organs or tissues. Contact with eyes may cause irreversible damage.

4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious. Keep the person comfortable. Turn him/her over to the left side and stay there while waiting for medical care.

SECTION 5: FIREFIGHTING MEASURES.

The product is NOT classified as flammable, in case of fire the following measures should be taken:

5.1 Extinguishing media.

Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

5.2 Special hazards arising from the substance or mixture.

Special risks.

Exposure to combustion or decomposition products can be harmful to your health.

5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways. Product residues and extinguishing media may contaminate the aquatic environment.

Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

SECTION 6: ACCIDENTAL RELEASE MEASURES.

6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

6.2 Environmental precautions.

Product dangerous for the environment, in case of large spills or if the product contaminates lakes, rivers, or sewers, inform the responsible authorities according to local legislation. Prevent the contamination of drains, surface or subterranean waters, and the ground.

(in accordance with Regulation (EU) 2020/878)

MANNI-PLEX COMBI

Version 1 Date of compilation: 17/12/2018

Version 6 (replaces version 5) Revision date: 27/10/2022

Page 4 of 10 Print date: 12/01/2023

BRAND

6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8. For later elimination of waste, follow the recommendations under section 13.

SECTION 7: HANDLING AND STORAGE.

7.1 Precautions for safe handling.

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25 ° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

7.3 Specific end use(s). Not available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

8.1 Control parameters.

Work exposure limit for:

| Name | CAS No. | Country | Limit value | ppm | mg/m ³ |
|---------------------|------------|-----------------------------|-------------|-----|---|
| | | European Union [1] | Eight hours | | 0,2 (as manganese, inhalable fraction) 0,05 (as manganese, respirable fraction) |
| | | | Short term | | - |
| manganese dinitrate | 10377-66-9 | Éire [2] | Eight hours | | 0,2 (Inhalable fraction) 0,05 (Respirabe fraction) |
| | | | Short term | | |
| | | United States | Eight hours | | 0.2 (as Mn) |
| | | [3] (Cal/OSHA) | Short term | | |
| | | United States | Eight hours | | 1 (as Mn) |
| | | [4] (NIOSH) | Short term | | 3 (as Mn) |
| | | United States [5] (OSHA) | Eight hours | | (Ceiling) 5 (as Mn) |
| | | | Short term | | |

[1] According both Binding Occupational Esposure Limits (BOELVs) and Indicative Occupational Exposure Limits (IOELVs) adopted by Scientific Committee for Occupational Exposure Limits to Chemical Agents (SCOEL).

[2] According Code of Practice for the Safety, Health and Welfare at Work (Chemicals Agents) Regulations adopted by Health and Safety Authority (HSA).

(in accordance with Regulation (EU) 2020/878)

MANNI-PLEX COMBI

Version 1Date of compilation: 17/12/2018Version 6 (replaces version 5)Revision date: 27/10/2022

Page 5 of 10 Print date: 12/01/2023

BRAND

[3] California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).
[4] National Institute for Occupational Safety and Health. NIOSH Recommendations for occupational safety and health, Compendium of Policy Documents and Statements, January, 1992, DHHS (NIOSH) Publication No. 92-100.
[5] Occupational Safety and Health Administration, United States Department of Labor. Permissible Exposure limits (PELs), California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs), The product does NOT contain substances with Biological Limit Values.
8.2 Exposure controls.

Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

| Concentration: | 100 % | | | |
|---------------------------|---|--|--|--|
| Uses: | FERTILIZANTE | | | |
| Breathing protecti | on: | | | |
| PPE: | Filter mask for protection against gases and particles. | | | |
| Characteristics: | «CE» marking, category III. The mask must have a wide field of vision and an anatomically designed form in order to be sealed and watertight. | | | |
| CEN standards: | EN 136, EN 140, EN 405 | | | |
| Maintenance: | Should not be stored in places exposed to high temperatures and damp environments before use. Special attention should be paid to the state of the inhalation and exhalation valves in the face adaptor. Read carefully the manufacturer's instructions regarding the equipment's use and maintenance. Attach | | | |
| Observations: | the necessary filters to the equipment according to the specific nature of the risk (Particles and aerosols: P1-P2-P3, Gases and vapours: A-B-E-K-AX), changing them as advised by the manufacturer. | | | |
| Filter Type needed: | A2 | | | |
| Hand protection: | | | | |
| PPE: | Work gloves. | | | |
| Characteristics: | «CE» marking, category I. | | | |
| CEN standards: | EN 374-1, En 374-2, EN 374-3, EN 420 | | | |
| Maintenance: | Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. | | | |
| Observations: | Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands. | | | |
| Material: | Breakthrough time (min.): > 480 Material thickness (mm): 0,35 | | | |
| Eye protection: | | | | |
| If the product is han | dled correctly, no individual protection equipment is necessary. | | | |
| Skin protection: | | | | |
| PPE: | Work footwear. | | | |
| Characteristics: | «CE» marking, category II. | | | |
| CEN standards: | EN ISO 13287, EN 20347 | | | |
| Maintenance: | This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. | | | |
| Observations: | Work footwear for professional use includes protection elements aimed at protecting users against any injury resulting from an accident | | | |

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

9.1 Information on basic physical and chemical properties.

Physical state: Liquid

Colour: opaco

Odour: Not applicable/Not available due to the nature/properties of the product

Odour threshold: Not applicable/Not available due to the nature/properties of the product

Melting point: Not applicable/Not available due to the nature/properties of the product

Freezing point: Not applicable/Not available due to the nature/properties of the product

Boiling point or initial boiling point and boiling range: Not applicable/Not available due to the nature/properties of the product

Flammability: Not applicable/Not available due to the nature/properties of the product

Lower explosion limit: Not applicable/Not available due to the nature/properties of the product

Upper explosion limit: Not applicable/Not available due to the nature/properties of the product

Flash point: Not applicable/Not available due to the nature/properties of the product

Auto-ignition temperature: Not applicable/Not available due to the nature/properties of the product

Decomposition temperature: Not applicable/Not available due to the nature/properties of the product pH: 3,5 (100%)

(in accordance with Regulation (EU) 2020/878)

MANNI-PLEX COMBI

BRAND

Version 1 Date of compilation: 17/12/2018

Version 6 (replaces version 5)

Revision date: 27/10/2022

Page 6 of 10 Print date: 12/01/2023

Kinematic viscosity: Not applicable/Not available due to the nature/properties of the product Solubility: Not applicable/Not available due to the nature/properties of the product Hydrosolubility: Not applicable/Not available due to the nature/properties of the product Liposolubility: Not applicable/Not available due to the nature/properties of the product Partition coefficient n-octanol/water (log value): Not applicable/Not available due to the nature/properties of the product Vapour pressure: Not applicable/Not available due to the nature/properties of the product Absolute density: Not applicable/Not available due to the nature/properties of the product Relative density: 1,260 Relative vapour density: Not applicable/Not available due to the nature/properties of the product

Particle characteristics: Not applicable/Not available due to the nature/properties of the product

9.2 Other information

Not applicable/Not available due to the nature/properties of the product

SECTION 10: STABILITY AND REACTIVITY.

10.1 Reactivity.

The product does not present hazards by their reactivity.

10.2 Chemical stability.

Unstable in contact with: - Bases.

- Bases.

10.3 Possibility of hazardous reactions.

Neutralization can occur on contact with bases.

10.4 Conditions to avoid.

- Avoid contact with bases.

10.5 Incompatible materials.

- Avoid the following materials:
- Bases.

10.6 Hazardous decomposition products.

Depending on conditions of use, can be generated the following products:

- Corrosive vapors or gases.

SECTION 11: TOXICOLOGICAL INFORMATION.

11.1 Information on hazard classes as defined in Regulation (EC) Nº 1272/2008.

Splatters in the eyes can cause irritation and reversible damage.

Toxicological information about the substances present in the composition.

| Name | | Acute toxicity | | | | |
|-------------------|------------------|----------------|-----------|-------|-------------------|--|
| - | Туре | Test | Kind | Value | | |
| | | | LD50 | Rat | 1190 mg/kg bw [1] | |
| | | Oral | | | | |
| zinc nitrate | | | [1] Unkno | wn | | |
| | | Dermal | | | | |
| | | Dermai | | | | |
| | | Inhalation | | | | |
| CAS No: 7779-88-6 | EC No: 231-943-8 | Innalation | | | | |

a) acute toxicity;

Not conclusive data for classification.

Acute Toxicity Estimate (ATE): Mixtures: ATE (Oral) = 4.268 mg/kg

b) skin corrosion/irritation;Product classified:Skin Corrosive, Category 1C: Causes severe skin burns and eye damage.

(in accordance with Regulation (EU) 2020/878)

MANNI-PLEX COMBI

BRANDT

Version 1Date of compilation: 17/12/2018Version 6 (replaces version 5)Revision date: 27/10/2022

Page 7 of 10 Print date: 12/01/2023

c) serious eye damage/irritation; Product classified: Serious eye damage, Category 1: Causes serious eye damage.

d) respiratory or skin sensitisation; Not conclusive data for classification.

e) germ cell mutagenicity; Not conclusive data for classification.

f) carcinogenicity; Not conclusive data for classification.

g) reproductive toxicity; Product classified: Reproductive toxicant, Category 1B: May damage fertility or the unborn child.

h) STOT-single exposure; Based on available data, the classification criteria are not met.

i) STOT-repeated exposure; Based on available data, the classification criteria are not met.

j) aspiration hazard; Not conclusive data for classification.

11.2 Information on other hazards.

Endocrine disrupting properties

This product does not contain components with endocrine-disrupting properties with effects on human health.

Other information

There is no information available on other adverse health effects.

SECTION 12: ECOLOGICAL INFORMATION.

12.1 Toxicity.

| Name | | Ecotoxicity | | | |
|-------------------|------------------|--------------------------|--|---|--|
| r | Name | | Test | Kind | Value |
| zinc nitrate | | Fish | Mortality ar phoxinus L "Taylor, D., Toxicity of Chromium, | nd Reproduction of the Arch.Environ.Conta B.G. Maddock, and Nine ""Grey List"" Mo Copper, Lead, Nicke | 12,4 mg/l (96 h) [1] Effects of Zinc on the he Minnow, Phoxinus m.Toxicol. 2(4):342-355. G. Mance 1985. The Acute etals (Arsenic, Boron, el, Tin, Vanadium and Zinc) to ht.Toxicol. 7(3):135-144" |
| | | Aquatic invertebrates | | | |
| CAS No: 7779-88-6 | EC No: 231-943-8 | Aquatic plants | | | |

12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present.

No information is available about persistence and degradability of the product.

12.3 Bioaccumulative potential.

No information is available regarding the bioaccumulation of the substances present.

(in accordance with Regulation (EU) 2020/878)

MANNI-PLEX COMBI

Version 1 Date of compilation: 17/12/2018

Version 6 (replaces version 5) Revision date: 27/10/2022

Page 8 of 10 Print date: 12/01/2023

RAND

12.4 Mobility in soil.

No information is available about the mobility in soil. The product must not be allowed to go into sewers or waterways. Prevent penetration into the ground.

12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

12.6 Endocrine disrupting properties.

This product doesn't contain components with environmental endocrine disrupting properties.

12.7 Other adverse effects.

No information is available about other adverse effects for the environment.

SECTION 13: DISPOSAL CONSIDERATIONS.

13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

SECTION 14: TRANSPORT INFORMATION.

Transport following ADR rules for road transport, RID rules for railway, ADN for inner waterways, IMDG for sea, and ICAO/IATA for air transport.

Land: Transport by road: ADR, Transport by rail: RID. Transport documentation: Consignment note and written instructions Sea: Transport by ship: IMDG. Transport documentation: Bill of lading <u>Air</u>: Transport by plane: ICAO/IATA. Transport document: Airway bill.

14.1 UN number or ID number.

UN No: UN3082

14.2 UN proper shipping name.

Description: ADR/RID: UN 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS MANGANESE DINITRATE / ZINC NITRATE), 9, PG III, (-) IMDG: UN 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS MANGANESE DINITRATE / ZINC NITRATE), 9, PG III, MARINE POLLUTANT ICAO/IATA: UN 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS MANGANESE DINITRATE / ZINC NITRATE), 9, PG III

14.3 Transport hazard class(es).

Class(es): 9

14.4 Packing group.

Packing group: III

14.5 Environmental hazards.

Marine pollutant: Yes



Dangerous for the environment Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): F-A,S-F

(in accordance with Regulation (EU) 2020/878)

MANNI-PLEX COMBI

 Version 1
 Date of compilation: 17/12/2018

 Version 6 (replaces version 5)
 Revision date: 27/10/2022



Page 9 of 10 Print date: 12/01/2023

14.6 Special precautions for user. Labels: 9



Hazard number: 90 ADR LQ: 5 L IMDG LQ: 5 L ICAO LQ: 30 kg B

Provisions concerning carriage in bulk ADR: Not authorized carriage in bulk in accordance with ADR. Proceed in accordance with point 6.

14.7 Maritime transport in bulk according to IMO instruments.

The product is not transported in bulk.

SECTION 15: REGULATORY INFORMATION.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

Product classification according to Annex I of Directive 2012/18/EU (SEVESO III): N/A The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

. The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION.

Complete text of the H phrases that appear in section 3:

| H272 N | lay intensify fir | e; oxidiser. |
|--------|-------------------|--------------|
|--------|-------------------|--------------|

- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H360FD May damage fertility. May damage the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

- H410 Very toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

Classification codes:

Acute Tox. 4 : Acute toxicity (Oral), Category 4 Aquatic Acute 1 : Acute toxicity to the aquatic environment, Category 1 Aquatic Chronic 1 : Chronic effect to the aquatic environment, Category 1 Aquatic Chronic 2 : Chronic effect to the aquatic environment, Category 2

(in accordance with Regulation (EU) 2020/878)

MANNI-PLEX COMBI

BRANDT

Version 1Date of compilation: 17/12/2018Version 6 (replaces version 5)Revision date: 27/10/2022

Page 10 of 10 Print date: 12/01/2023

Aquatic Chronic 3 : Chronic effect to the aquatic environment, Category 3 Eye Dam. 1 : Serious eye damage, Category 1 Eye Irrit. 2 : Eye irritation, Category 2 Ox. Sol. 2 : Oxidising solid, Category 2 Repr. 1B : Reproductive toxicant, Category 1B STOT RE 2 : Specific target organ toxicity following a repeated exposure, Category 2 STOT SE 3 : Specific target organ toxicity following a single exposure, Category 3 Skin Corr. 1C : Skin Corrosive, Category 1C Skin Irrit. 2 : Skin irritant, Category 2

Changes regarding to the previous version:

- Changes in the information of the supplier (SECTION 1.3).

- Modification of specific hazards (SECTION 2.3).
- Changes in the composition of the product (SECTION 3.2).
- Modification in the firefighting measures (SECTION 5.2).
- Modifications in the accidental release measures (SECTION 6.1).
- Modifications in the accidental release measures (SECTION 6.2).
- Modification in the values of the physical and chemical properties (SECTION 9).
- Change in the hazard classification (SECTION 11.1).
- Modification of the classification ADR/IMDG/ICAO/IATA/RID (SECTION 14).
- Addition of abbreviations and acronyms (SECTION 16).

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

| Physical hazards | On basis of test data |
|-----------------------|-----------------------|
| Health hazards | Calculation method |
| Environmental hazards | Calculation method |

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

ADR/RID: European Agreement concerning the International Carriage of Dangerous Goods by Road.

- CEN: European Committee for Standardization.
- EC50: Half maximal effective concentration.
- PPE: Personal protection equipment.
- IATA: International Air Transport Association.
- ICAO: International Civil Aviation Organization.
- IMDG: International Maritime Code for Dangerous Goods.
- LC50: Lethal concentration, 50%.
- LD50: Lethal dose, 50%.
- RID: Regulations Concerning the International Transport of Dangerous Goods by Rail.

Key literature references and sources for data: http://eur-lex.europa.eu/homepage.html http://echa.europa.eu/ Regulation (EU) 2020/878. Regulation (EC) No 1907/2006. Regulation (EC) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.