(in accordance with Regulation (EU) 2020/878)

### MANNI PLEX MULTI MIX

Version 1 Date of compilation: 24/03/2017 Page 1 of 11



### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

#### 1.1 Product identifier.

Product Name: MANNI PLEX MULTI MIX 9N40-70K9-H00W-14V2 HFT:

### 1.2 Relevant identified uses of the substance or mixture and uses advised against.

**FERTILIZANTE** 

#### Uses advised against:

Uses other than those recommended.

### 1.3 Details of the supplier of the safety data sheet.

Company: **BRANDT EUROPE S.L.** Ctra. Carmona - Guadajoz Km 3.1 Address:

41410 - Carmona City:

Province: Sevilla Telephone: 95 419 62 30 95 419 62 40 Fax:

E-mail: Brandt.Europe@Brandt.co Web: www.brandteurope.com

#### **1.4 Emergency telephone number:** (34) - 91 562 04 20 (Available 24 hours)

### **SECTION 2: HAZARDS IDENTIFICATION.**

### 2.1 Classification of the substance or mixture.

In accordance with Regulation (EC) No 1272/2008:

Aquatic Chronic 3: Harmful to aquatic life with long lasting effects.

Eye Dam. 1: Causes serious eye damage.

Skin Corr. 1C: Causes severe skin burns and eye damage.

### 2.2 Label elements.

### Labelling in accordance with Regulation (EC) No 1272/2008:

Pictograms:



#### Signal Word:

# **Danger**

#### Hazard statements:

Causes severe skin burns and eye damage. H314 H412 Harmful to aquatic life with long lasting effects.

### Precautionary statements:

Do not breathe dust/fume/gas/mist/vapours/spray. P260

P264 Wash ... thoroughly after handling. P273 Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/... P280

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or

shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor/...

-Continued on next page.-

(in accordance with Regulation (EU) 2020/878)

# **MANNI PLEX MULTI MIX**



Date of compilation: 24/03/2017 Version 1

Page 2 of 11 **Version 5 (replaces version 4) Revision date: 28/10/2022** Print date: 17/01/2023

Contains: 2-aminoethanol, ethanolamine manganese dinitrate

#### 2.3 Other hazards.

The mixture does not contain substances classified as PBT. The mixture does not contain substances classified as vPvB.

The mixture does not contain any endocrine disrupting properties substances.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.**

#### 3.1 Substances.

Not Applicable.

#### 3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

			(*)Classification - Regulation (EC) No 1272/2008	
Identifiers	Name	Concentrate	Classification	Specifics concentration limits and Acute toxicity estimate
CAS No: 10421-48-4 EC No: 233-899-5	iron trinitrate	1 - 10 %	Eye Irrit. 2, H319 - Skin Irrit. 2, H315	-
CAS No: 10377-66-9 EC No: 233-828-8 Registration No: 01- 2119980631-35-XXXX	[1] [2] manganese dinitrate	5 - 10 %	Acute Tox. 4, H302 - Aquatic Chronic 3, H412 - Eye Dam. 1, H318 - Ox. Sol. 2, H272 - STOT RE 2, H373 - Skin Corr. 1C, H314	-
Index No: 603-030- 00-8 CAS No: 141-43-5 EC No: 205-483-3 Registration No: 01- 2119486455-28-XXXX	[1] [2] 2-aminoethanol, ethanolamine	3 - 5 %	Acute Tox. 4 *, H312 - Acute Tox. 4 *, H332 - Acute Tox. 4 *, H302 - Skin Corr. 1B, H314	STOT SE 3, H335: C ≥ 5 %
CAS No: 7779-88-6 EC No: 231-943-8 Registration No: 01- 2119488498-16-XXXX	zinc nitrate	0.25 - 2.5 %	Acute Tox. 4, H302 - Aquatic Acute 1, H400 (M=1) - Aquatic Chronic 1, H410 (M=1) - Eye Irrit. 2, H319 - Ox. Sol. 2, H272 - STOT SE 3, H335 - STOT SE 3, H336 - Skin Irrit. 2, H315	-

<sup>(\*)</sup> The complete text of the H phrases is given in section 16 of this Safety Data Sheet. \* See Regulation (EC) No. 1272/2008, Annex VI, section 1.2.

<sup>[1]</sup> Substance with a European Union exposure limit in the workplace (see section 8.1).

<sup>[2]</sup> Substance with a national workplace exposure limit (see section 8.1).

(in accordance with Regulation (EU) 2020/878)

### **MANNI PLEX MULTI MIX**



Version 1 Date of compilation: 24/03/2017

Version 5 (replaces version 4) Revision date: 28/10/2022 Print date: 17/01/2023

### **SECTION 4: FIRST AID MEASURES.**

#### 4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

#### Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

#### Eye contact.

Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance. Dont let the person to rub the affected eye.

#### Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners. The use of personal protective equipment is recommended for people providing first aid (see section 8).

#### Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed.

Corrosive Product, contact with eyes or skin can cause burns; ingestion or inhalation can cause internal damage, if this occurs immediate medical assistance is required.

Contact with eyes may cause irreversible damage.

#### 4.3 Indication of any immediate medical attention and special treatment needed.

Request immediate medical attention. Never administer anything orally to persons who are unconscious. Do not induce vomiting. If the person vomits, clear the respiratory tract. Cover the affected area with a dry sterile bandage. Protect the affected area from pressure or friction.

### **SECTION 5: FIREFIGHTING MEASURES.**

The product is NOT classified as flammable, in case of fire the following measures should be taken:

#### 5.1 Extinguishing media.

### Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

### **Unsuitable extinguishing media:**

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

### 5.2 Special hazards arising from the substance or mixture.

#### <u>Special risks.</u>

Exposure to combustion or decomposition products can be harmful to your health.

### 5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways. Product residues and extinguishing media may contaminate the aquatic environment.

#### Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES.**

### 6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

### 6.2 Environmental precautions.

(in accordance with Regulation (EU) 2020/878)

### MANNI PLEX MULTI MIX



Date of compilation: 24/03/2017 Version 1

Page 4 of 11 Print date: 17/01/2023 Version 5 (replaces version 4) **Revision date: 28/10/2022** 

Product dangerous for the environment, in case of large spills or if the product contaminates lakes, rivers, or sewers, inform the responsible authorities according to local legislation. Prevent the contamination of drains, surface or subterranean waters, and the ground.

### 6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

#### 6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

### **SECTION 7: HANDLING AND STORAGE.**

### 7.1 Precautions for safe handling.

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

### 7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25 ° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

#### 7.3 Specific end use(s).

Not available.

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.**

#### 8.1 Control parameters.

Work exposure limit for:

Name	CAS No.	Country	Limit value	ppm	mg/m³
		European Union [1]	Eight hours		0,2 (as manganese, inhalable fraction) 0,05 (as manganese, respirable fraction)
			Short term		
manganese dinitrate	10377-66-9	Éire [2]	Eight hours		0,2 (Inhalable fraction) 0,05 (Respirabe fraction)
			Short term		
		United States	Eight hours		0.2 (as Mn)
		[3] (Cal/OSHA)	Short term		
		United States	Eight hours		1 (as Mn)
		[4] (NIOSH)	Short term		3 (as Mn)
		United States	Eight hours		(Ceiling) 5 (as Mn)
		[5] (OSHA)	Short term		

(in accordance with Regulation (EU) 2020/878)

### **MANNI PLEX MULTI MIX**



Version 1 Date of compilation: 24/03/2017 Page 5 of 11
Version 5 (replaces version 4) Revision date: 28/10/2022 Print date: 17/01/2023

2-aminoethanol, ethanolamine		European Union [1]	Eight hours Short term	1 (skin) 3 (skin)	2,5 (skin) 7,6 (skin)
		United Kingdom [6]	Eight hours Short term	1 3	2,5 7,6
		Éire [2]	Eight hours	1	2,5
	141-43-5	United States	Short term Eight hours	3	7,6
		[3] (Cal/OSHA)	Short term	6	
		United States [4] (NIOSH)	Eight hours Short term	3	6
		United States	Eight hours	3	
		[5] (OSHA)	Short term	6	

<sup>[1]</sup> According both Binding Occupational Esposure Limits (BOELVs) and Indicative Occupational Exposure Limits (IOELVs) adopted by Scientific Committee for Occupational Exposure Limits to Chemical Agents (SCOEL).

Compendium of Policy Documents and Statements, January, 1992, DHHS (NIOSH) Publication No. 92-100.

Concentration levels DNEL/DMEL:

Name	DNEL/DMEL	Туре	Value
2-aminoethanol, ethanolamine	DNEL	Inhalation, Chronic, Local effects	3,3
CAS No: 141-43-5	(Workers)		(mg/m³)
EC No: 205-483-3			

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

### 8.2 Exposure controls.

#### **Measures of a technical nature:**

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Concentration:	100 %
Uses:	FERTILIZANTE
<b>Breathing protec</b>	tion:
If the recommende	d technical measures are observed, no individual protection equipment is necessary.
Hand protection:	
If the product is ha	ndled correctly, no individual protection equipment is necessary.
Eye protection:	
If the product is ha	ndled correctly, no individual protection equipment is necessary.
Skin protection:	
PPE:	Work footwear.
Characteristics:	«CE» marking, category II.
CEN standards:	EN ISO 13287, EN 20347
Maintenance:	This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should
- I all terral terr	not be used by other people.
Observations:	Work footwear for professional use includes protection elements aimed at protecting users against any
	injury resulting from an accident

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.**

### 9.1 Information on basic physical and chemical properties.

Physical state: Liquid

Colour: Not applicable/Not available due to the nature/properties of the product

Odour: Caracteristico

<sup>[2]</sup> According Code of Practice for the Safety, Health and Welfare at Work (Chemical's Agents) Regulations adopted by Health and Safety Authority (HSA).

<sup>[3]</sup> California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

<sup>[4]</sup> National Institute for Occupational Safety and Health. NIOSH Recommendations for occupational safety and health,

<sup>[5]</sup> Occupational Safety and Health Administration, United States Department of Labor. Permissible Exposure limits (PELs), California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

<sup>[6]</sup> According Limit Value (IOELV) list in 2nd Indicative Occupational Exposure adobted by Health and Safety Executive. The product does NOT contain substances with Biological Limit Values.

(in accordance with Regulation (EU) 2020/878)

### MANNI PLEX MULTI MIX



Version 5 (replaces version 4) Revision date: 28/10/2022 Print date: 17/01/2023



Page 6 of 11

Odour threshold: Not applicable/Not available due to the nature/properties of the product Melting point: Not applicable/Not available due to the nature/properties of the product Freezing point: Not applicable/Not available due to the nature/properties of the product

Boiling point or initial boiling point and boiling range: Not applicable/Not available due to the nature/properties of the product

Flammability: Not applicable/Not available due to the nature/properties of the product Lower explosion limit: Not applicable/Not available due to the nature/properties of the product Upper explosion limit: Not applicable/Not available due to the nature/properties of the product

Flash point: > 60 °C

Auto-ignition temperature: Not applicable/Not available due to the nature/properties of the product Decomposition temperature: Not applicable/Not available due to the nature/properties of the product pH: 2,5 (100%)

Kinematic viscosity: Not applicable/Not available due to the nature/properties of the product

Solubility: Not applicable/Not available due to the nature/properties of the product Hydrosolubility: Not applicable/Not available due to the nature/properties of the product Liposolubility: Not applicable/Not available due to the nature/properties of the product

Partition coefficient n-octanol/water (log value): Not applicable/Not available due to the nature/properties of the product

Vapour pressure: Not applicable/Not available due to the nature/properties of the product Absolute density: Not applicable/Not available due to the nature/properties of the product

Relative density: 1,33

Relative vapour density: Not applicable/Not available due to the nature/properties of the product Particle characteristics: Not applicable/Not available due to the nature/properties of the product

#### 9.2 Other information

Not applicable/Not available due to the nature/properties of the product

### **SECTION 10: STABILITY AND REACTIVITY.**

#### 10.1 Reactivity.

The product does not present hazards by their reactivity.

### 10.2 Chemical stability.

Unstable in contact with:

- Bases.

### 10.3 Possibility of hazardous reactions.

Neutralization can occur on contact with bases.

### 10.4 Conditions to avoid.

- Avoid contact with bases.

### 10.5 Incompatible materials.

Avoid the following materials:

- Bases.

#### 10.6 Hazardous decomposition products.

Depending on conditions of use, can be generated the following products:

- Corrosive vapors or gases.

### **SECTION 11: TOXICOLOGICAL INFORMATION.**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008.

Splatters in the eyes can cause irritation and reversible damage.

#### Toxicological information about the substances present in the composition.

Name		Acute toxicity				
Name	Туре	Test	Kind	Value		
Tipo giliupho	Oral	LD50	Rat wn	1190 mg/kg bw [1]		
zinc nitrate	Dermal					
	Inhalation					

(in accordance with Regulation (EU) 2020/878)

# **MANNI PLEX MULTI MIX**



Date of compilation: 24/03/2017 Version 1

Page 7 of 11 **Version 5 (replaces version 4) Revision date: 28/10/2022** Print date: 17/01/2023

CAS No: 7779-88-6 EC No: 231-943-8

a) acute toxicity;

Not conclusive data for classification.

Acute Toxicity Estimate (ATE):

Mixtures:

ATE (Dermal) = 27.500 mg/kgATE (Oral) = 4.669 mg/kg

b) skin corrosion/irritation;

Product classified:

Skin Corrosive, Category 1C: Causes severe skin burns and eye damage.

c) serious eye damage/irritation;

Product classified:

Serious eye damage, Category 1: Causes serious eye damage.

d) respiratory or skin sensitisation;

Not conclusive data for classification.

e) germ cell mutagenicity;

Not conclusive data for classification.

f) carcinogenicity;

Not conclusive data for classification.

g) reproductive toxicity;

Not conclusive data for classification.

h) STOT-single exposure;

Based on available data, the classification criteria are not met.

i) STOT-repeated exposure;

Based on available data, the classification criteria are not met.

j) aspiration hazard;

Not conclusive data for classification.

### 11.2 Information on other hazards.

### **Endocrine disrupting properties**

This product does not contain components with endocrine-disrupting properties with effects on human health.

#### Other information

There is no information available on other adverse health effects.

### **SECTION 12: ECOLOGICAL INFORMATION.**

### 12.1 Toxicity.

Name		Ecotoxicity			
r	Туре	Test	Kind	Value	
zinc nitrate		Fish	Mortality al phoxinus L "Taylor, D. Toxicity of Chromium,	nd Reproduction of th . Arch.Environ.Contal , B.G. Maddock, and Nine ""Grey List"" Me Copper, Lead, Nicke	12,4 mg/l (96 h) [1] Effects of Zinc on the ne Minnow, Phoxinus m.Toxicol. 2(4):342-355. G. Mance 1985. The Acute etals (Arsenic, Boron, l, Tin, Vanadium and Zinc) to t.Toxicol. 7(3):135-144"
		Aquatic invertebrates			
CAS No: 7779-88-6	EC No: 231-943-8	Aquatic plants			

(in accordance with Regulation (EU) 2020/878)

# **MANNI PLEX MULTI MIX**



Version 1 Date of compilation: 24/03/2017

Page 8 of 11 Print date: 17/01/2023 Version 5 (replaces version 4) **Revision date: 28/10/2022** 

### 12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present.

No information is available about persistence and degradability of the product.

### 12.3 Bioaccumulative potential.

Information about the bioaccumulation of the substances present.

Name	Bioaccumulation			
Name	Log Pow	BCF	NOECs	Level
2-aminoethanol, ethanolamine	-1,31	_	_	Vonclow
CAS No: 141-43-5 EC No: 205-483-3	-1,51	-	-	Very low

### 12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

#### 12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

#### 12.6 Endocrine disrupting properties.

This product doesn't contain components with environmental endocrine disrupting properties.

#### 12.7 Other adverse effects.

No information is available about other adverse effects for the environment.

### **SECTION 13: DISPOSAL CONSIDERATIONS.**

### 13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

### **SECTION 14: TRANSPORT INFORMATION.**

Transport following ADR rules for road transport, RID rules for railway, ADN for inner waterways, IMDG for sea, and ICAO/IATA for air transport.

Land: Transport by road: ADR, Transport by rail: RID.

Transport documentation: Consignment note and written instructions

Sea: Transport by ship: IMDG. Transport documentation: Bill of lading Air: Transport by plane: ICAO/IATA. Transport document: Airway bill.

(in accordance with Regulation (EU) 2020/878)

### MANNI PLEX MULTI MIX



Version 1 Date of compilation: 24/03/2017

Page 9 of 11 Version 5 (replaces version 4) **Revision date: 28/10/2022** Print date: 17/01/2023

#### 14.1 UN number or ID number.

UN No: UN3082

### 14.2 UN proper shipping name.

Description:

ADR/RID: UN 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS MANGANESE DINITRATE / ZINC

NITRATE), 9, PG III, (-)

UN 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS MANGANESE DINITRATE / ZINC IMDG:

NITRATE), 9, PG III

ICAO/IATA UN 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS MANGANESE

DINITRATE / ZINC NITRATE), 9, PG III

#### 14.3 Transport hazard class(es).

Class(es): 9

#### 14.4 Packing group.

Packing group: III

#### 14.5 Environmental hazards.

Marine pollutant: No

Transport by ship, FEm - Emergency sheets (F - Fire, S - Spills): F-A,S-F

#### 14.6 Special precautions for user.

Labels: 9



Hazard number: 90 ADR LQ: 5 L IMDG LQ: 5 L ICAO LQ: 30 kg B

Provisions concerning carriage in bulk ADR: Not authorized carriage in bulk in accordance with ADR.

Proceed in accordance with point 6.

### 14.7 Maritime transport in bulk according to IMO instruments.

The product is not transported in bulk.

#### **SECTION 15: REGULATORY INFORMATION.**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

Product classification according to Annex I of Directive 2012/18/EU (SEVESO III): N/A

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

### Information on Annex I and Annex II of Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 20 2019 on the marketing and use of explosives precursors:

CAS No	Name	Annex
7697-37-2	nitric acid %	I

Annex I: Restricted explosives precursor.

Annex II: Reportable explosives precursors.

(in accordance with Regulation (EU) 2020/878)

### MANNI PLEX MULTI MIX



Version 1 Date of compilation: 24/03/2017 Page 10 of 11

Version 5 (replaces version 4) Revision date: 28/10/2022 Print date: 17/01/2023

### 15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

### **SECTION 16: OTHER INFORMATION.**

Complete text of the H phrases that appear in section 3:

H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### Classification codes:

Acute Tox. 4: Acute toxicity (Dermal), Category 4
Acute Tox. 4: Acute toxicity (Inhalation), Category 4
Acute Tox. 4: Acute toxicity (Oral), Category 4

Aquatic Acute 1: Acute toxicity to the aquatic environment, Category 1 Aquatic Chronic 1: Chronic effect to the aquatic environment, Category 1 Aquatic Chronic 3: Chronic effect to the aquatic environment, Category 3

Eye Dam. 1 : Serious eye damage, Category 1 Eye Irrit. 2 : Eye irritation, Category 2 Ox. Sol. 2 : Oxidising solid, Category 2

STOT RE 2 : Specific target organ toxicity following a repeated exposure, Category 2 STOT SE 3 : Specific target organ toxicity following a single exposure, Category 3

Skin Corr. 1B: Skin Corrosive, Category 1B Skin Corr. 1C: Skin Corrosive, Category 1C Skin Irrit. 2: Skin irritant, Category 2

### Changes regarding to the previous version:

- Change in the hazard classification (SECTION 2.1).
- Removal of precautionary statements/hazard statements/pictograms/signal word (SECTION 2.2).
- Addition of precautionary statements/hazard statements/pictograms/signal word (SECTION 2.2).
- Changes in the composition of the product (SECTION 3.2).
- Modifications in the first aid measures (SECTION 4.1).
- Modifications in the handling and storage precautions (SECTION 7.1).
- Modifications in the handling and storage precautions (SECTION 7.2).
- Modification in the values of the physical and chemical properties (SECTION 9).
- Change in the hazard classification (SECTION 11.1).
- Modification of the classification ADR/IMDG/ICAO/IATA/RID (SECTION 14).

# Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data
Health hazards Calculation method
Environmental hazards Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

(in accordance with Regulation (EU) 2020/878)

### **MANNI PLEX MULTI MIX**



Version 1 Date of compilation: 24/03/2017 Page 11 of 11
Version 5 (replaces version 4) Revision date: 28/10/2022 Print date: 17/01/2023

Abbreviations and acronyms used:

ADR/RID: European Agreement concerning the International Carriage of Dangerous Goods by Road.

BCF: Bioconcentration factor.

CEN: European Committee for Standardization.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be

considered a tolerable minimum.

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not

anticipated.

EC50: Half maximal effective concentration.
PPE: Personal protection equipment.
IATA: International Air Transport Association.
ICAO: International Civil Aviation Organization.

IMDG: International Maritime Code for Dangerous Goods.

LC50: Lethal concentration, 50%.

LD50: Lethal dose, 50%.

NOEC: No observed effect concentration.

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail.

Key literature references and sources for data:

http://eur-lex.europa.eu/homepage.html

http://echa.europa.eu/

Regulation (EU) 2020/878. Regulation (EC) No 1907/2006. Regulation (EC) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.