(in accordance with Regulation (EU) 2020/878)

SMART P



Version 1 Date of compilation: 2/07/2019 Version 4 (replaces version 3) Revision date: 25/03/2022

Page 1 of 11 Print date: 27/10/2022

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

1.1 Product identifier.

Product Name: UFI:

SMART P H9K0-Q0AE-700K-QEHA

1.2 Relevant identified uses of the substance or mixture and uses advised against.

FERTILIZANTE

Uses advised against:

Uses other than those recommended.

1.3 Details of the supplier of the safety data sheet.

Company:	BRANDT EUROPE S.L.
Address:	Ctra. Carmona - Guadajoz Km 3.1
City:	41410 - Carmona
Province:	Sevilla
Telephone:	95 419 62 30
Fax:	95 419 62 40
E-mail:	Brandt.Europe@Brandt.co
Web:	www.brandteurope.com

1.4 Emergency telephone number: (34) - 91 562 04 20 (Available 24 hours)

SECTION 2: HAZARDS IDENTIFICATION.

2.1 Classification of the substance or mixture.

In accordance with Regulation (EC) No 1272/2008: Eye Dam. 1 : Causes serious eye damage. STOT SE 3 : May cause respiratory irritation. STOT SE 3 : May cause drowsiness or dizziness. Skin Corr. 1B : Causes severe skin burns and eve damage.

2.2 Label elements.

Labelling in accordance with Regulation (EC) No 1272/2008: Pictograms:



Signal Word:

Danger

Hazard statements:

azara statementor	
H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.
H302	Harmful if swallowed.

Precautionary statements:

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash ... thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(in accordance with Regulation (EU) 2020/878)

SMART P



Version 1 Date of compilation: 2/07/2019

Revision date: 25/03/2022 Version 4 (replaces version 3)

Page 2 of 11 Print date: 27/10/2022

Immediately call a POISON CENTER/doctor/... P310 P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Contains:

2-aminoethanol, ethanolamine phosphoric acid . %, orthophosphoric acid. %

2.3 Other hazards.

The mixture does not contain substances classified as PBT. The mixture does not contain substances classified as vPvB.

The mixture does not contain any endocrine disrupting properties substances.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

3.1 Substances.

Not Applicable.

3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

			(*)Classification - Regulation (EC) No 1272/2008	
Identifiers	Name	Concentrate	Classification	Specifics concentration limits and Acute toxicity estimate
Index No: 015-011- 00-6 CAS No: 7664-38-2 EC No: 231-633-2 Registration No: 01- 2119485924-24-XXXX	[1] [2] phosphoric acid . %, orthophosphoric acid. %	25 - 50 %	Skin Corr. 1B, H314	Skin Corr. 1B, H314: $C \ge 25$ % Skin Irrit. 2, H315: 10 % \le C < 25 % Eye Irrit. 2, H319: 10 % \le C < 25 %
Index No: 603-030- 00-8 CAS No: 141-43-5 EC No: 205-483-3 Registration No: 01- 2119486455-28-XXXX	[1] [2] 2-aminoethanol, ethanolamine	5 - 25 %	Acute Tox. 4 *, H312 - Acute Tox. 4 *, H332 - Acute Tox. 4 *, H302 - Skin Corr. 1B, H314	STOT SE 3, H335: C ≥ 5 %

(*) The complete text of the H phrases is given in section 16 of this Safety Data Sheet. * See Regulation (EC) No. 1272/2008, Annex VI, section 1.2.

[1] Substance with a European Union exposure limit in the workplace (see section 8.1).

[2] Substance with a national workplace exposure limit (see section 8.1).

SECTION 4: FIRST AID MEASURES.

4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration. Do not administer anything orally. If unconscious, place them in a suitable position and seek medical assistance.

Eve contact.

Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance. Dont let the person to rub the affected eye.

Skin contact.

(in accordance with Regulation (EU) 2020/878)

SMART P



Version 1 Date of compilation: 2/07/2019 Version 4 (replaces version 3) Revision date: 2 Page 3 of 11 Print date: 27/10/2022

Version 4 (replaces version 3) Revision date: 25/03/2022

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners. The use of personal protective equipment is recommended for people providing first aid (see section 8).

Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed.

Corrosive Product, contact with eyes or skin can cause burns; ingestion or inhalation can cause internal damage, if this occurs immediate medical assistance is required.

Contact with eyes may cause irreversible damage.

4.3 Indication of any immediate medical attention and special treatment needed.

Request immediate medical attention. Never administer anything orally to persons who are unconscious. Do not induce vomiting. If the person vomits, clear the respiratory tract. Cover the affected area with a dry sterile bandage. Protect the affected area from pressure or friction.

SECTION 5: FIREFIGHTING MEASURES.

The product is NOT classified as flammable, in case of fire the following measures should be taken:

5.1 Extinguishing media.

Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

5.2 Special hazards arising from the substance or mixture.

Special risks.

Exposure to combustion or decomposition products can be harmful to your health.

5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways.

Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

SECTION 6: ACCIDENTAL RELEASE MEASURES.

6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

6.2 Environmental precautions.

Product not classified as hazardous for the environment, avoid spillage as much as possible.

6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8. For later elimination of waste, follow the recommendations under section 13.

SECTION 7: HANDLING AND STORAGE.

7.1 Precautions for safe handling.

(in accordance with Regulation (EU) 2020/878)

SMART P



Version 1Date of compilation: 2/07/2019Version 4 (replaces version 3)Revision date: 25/03/2022

Page 4 of 11 Print date: 27/10/2022

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25 ° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

7.3 Specific end use(s).

Not available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

8.1 Control parameters.

Work exposure limit for:

Name	CAS No.	Country	Limit value	ppm	mg/m ³
		European	Eight hours		1
		Union [1]	Short term		2
		United	Eight hours		1
		Kingdom [2]	Short term		2
		Éire [3]	Eight hours		1
phosphoric acid . %, orthophosphoric	7664-38-2		Short term		2
acid. %	7001 30 2	United States	Eight hours		1
		[4] (Cal/OSHA)	Short term		3
		United States	Eight hours		1
		[5] (NIOSH)	Short term		3
		United States	Eight hours		1
		[6] (OSHA)	Short term		
	141-43-5	European	Eight hours	1 (skin)	2,5 (skin)
		Union [1]	Short term	3 (skin)	7,6 (skin)
		United	Eight hours	1	2,5
		Kingdom [2]	Short term	3	7,6
		Éire [3]	Eight hours	1	2,5
2-aminoethanol, ethanolamine		LIIC [J]	Short term	3	7,6
	111 15 5	United States	Eight hours	3	
		[4] (Cal/OSHA)	Short term	6	
		United States	Eight hours	3	6
		[5] (NIOSH)	Short term		
		United States	Eight hours	3	
		[6] (OSHA)	Short term	6	

[1] According both Binding Occupational Esposure Limits (BOELVs) and Indicative Occupational Exposure Limits (IOELVs) adopted by Scientific Committee for Occupational Exposure Limits to Chemical Agents (SCOEL).

[2] According Limit Value (IOELV) list in 2nd Indicative Occupational Exposure adobted by Health and Safety Executive.

[3] According Code of Practice for the Safety, Health and Welfare at Work (Chemicals Agents) Regulations adopted by Health and Safety Authority (HSA).

[4] California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

[5] National Institute for Occupational Safety and Health. NIOSH Recommendations for occupational safety and health,

Compendium of Policy Documents and Statements, January, 1992, DHHS (NIOSH) Publication No. 92-100.

[6] Occupational Safety and Health Administration, United States Department of Labor. Permissible Exposure limits (PELs), California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

The product does NOT contain substances with Biological Limit Values.

Concentration levels DNEL/DMEL:

(in accordance with Regulation (EU) 2020/878)

SMART P



Version 1 Date of compilation: 2/07/2019

Version 4 (replaces version 3) Revision date: 25/03/2022

Page 5 of 11 Print date: 27/10/2022

Name	DNEL/DMEL	Туре	Value
phoenhouse and 0/ outbouchouse and 0/	DNEL (Workers)	Inhalation, Chronic, Local effects	1 (mg/m ³)
phosphoric acid . %, orthophosphoric acid. % CAS No: 7664-38-2	DNEL (Consumers)	Inhalation, Chronic, Local effects	0,73 (mg/m ³)
EC No: 231-633-2	DNEL (Workers)	Inhalation, Short term, Local effects	2 (mg/m ³)
2-aminoethanol, ethanolamine CAS No: 141-43-5	DNEL (Workers)	Inhalation, Chronic, Local effects	3,3 (mg/m ³)
EC No: 205-483-3	,		、 <u></u> , ,

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated. DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

8.2 Exposure controls.

Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Concentration:	100 %					
Uses:	FERTILIZANTE					
Breathing protect						
PPE:	Filter mask for protection against gases and particles.					
Characteristics:	«CE» marking, category III. The mask must have a wide field of vision and an anatomically designed form in order to be sealed and watertight.					
CEN standards:	EN 136, EN 140, EN 405					
Maintenance:	Should not be stored in places exposed to high temperatures and damp environments before use. Special attention should be paid to the state of the inhalation and exhalation valves in the face adaptor. Read carefully the manufacturer's instructions regarding the equipment's use and maintenance. Attach					
Observations:	the necessary filters to the equipment according to the specific nature of the risk (Particles and aerosols: P1-P2-P3, Gases and vapours: A-B-E-K-AX), changing them as advised by the manufacturer.					
Filter Type needed:	A2					
Hand protection:						
PPE: Characteristics:	Non-disposable protective gloves against chemicals. «CE» marking, category III. Check the list of chemicals for which the glove has been tested.					
CEN standards:	EN 374-1, En 374-2, EN 374-3, EN 420					
Maintenance:	A schedule for the periodical replacement of gloves should be established in order to guarantee their					
Observations:	They are to be replaced whenever tears, cracks or deformations are observed or when exterior dirt could reduce their strength.					
Material:	PVC (polyvinyl chloride) Breakthrough time (min.): > 480 Material thickness (mm): 0,35					
Eye protection:						
	dled correctly, no individual protection equipment is necessary.					
Skin protection:						
PPE:	Chemical protective clothing					
Characteristics:	«CE» marking, category III. Clothing should fit properly. The level of protection must be set according to a test parameter called BT (Breakthrough Time), which indicates how long it takes for the chemical to pass through the material.					
CEN standards:	EN 464,EN 340, EN 943-1, EN 943-2, EN ISO 6529, EN ISO 6530, EN 13034					
Maintenance:	In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.					
Observations:	The protective clothing's design should facilitate correct positioning, staying in place without moving for the period of use expected, bearing in mind environmental factors as well as any movement or position the user might adopt while carrying out the activity.					
PPE:	Anti-static safety footwear against chemicals.					
Characteristics:	«CE» marking, category III. Check the list of chemicals against which the footwear is resistant.					
CEN standards:	EN ISO 13287, EN 13832-1, EN 13832-2, EN 13832-3, EN ISO 20344, EN ISO 20345					

(in accordance with Regulation (EU) 2020/878)

SMART P



Version 1	Date of compilation: 2	/07/2019
Version 4 (rep	places version 3)	Revision date: 25/03/2022

Page 6 of 11 Print date: 27/10/2022

Maintenance:	For correct maintenance of this kind of safety footwear, it is necessary to observe the instructions specified by the manufacturer. The footwear should be replaced as soon as any sign of damage is observed.
Observations:	The footwear should be cleaned regularly and dried when damp, although it should not be placed too close to a source of heat in order to avoid any sharp changes in temperature.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

9.1 Information on basic physical and chemical properties.

Physical state: Liquid

Colour: Not applicable/Not available due to the nature/properties of the product Odour: Not applicable/Not available due to the nature/properties of the product Odour threshold: Not applicable/Not available due to the nature/properties of the product Melting point: Not applicable/Not available due to the nature/properties of the product Freezing point: Not applicable/Not available due to the nature/properties of the product Boiling point or initial boiling point and boiling range: Not applicable/Not available due to the nature/properties of the product Flammability: Not applicable/Not available due to the nature/properties of the product Lower explosion limit: Not applicable/Not available due to the nature/properties of the product Flash point: Not applicable/Not available due to the nature/properties of the product Flash point: Not applicable/Not available due to the nature/properties of the product Flash point: Not applicable/Not available due to the nature/properties of the product Flash point: Not applicable/Not available due to the nature/properties of the product Flash point: Not applicable/Not available due to the nature/properties of the product Flash point: Not applicable/Not available due to the nature/properties of the product Flash point: Not applicable/Not available due to the nature/properties of the product

Auto-ignition temperature: Not applicable/Not available due to the nature/properties of the product Decomposition temperature: Not applicable/Not available due to the nature/properties of the product pH: 3.6

Kinematic viscosity: Not applicable/Not available due to the nature/properties of the product Solubility: Not applicable/Not available due to the nature/properties of the product

Hydrosolubility: Not applicable/Not available due to the nature/properties of the product

Liposolubility: Not applicable/Not available due to the nature/properties of the product

Partition coefficient n-octanol/water (log value): Not applicable/Not available due to the nature/properties of the product

Vapour pressure: Not applicable/Not available due to the nature/properties of the product Absolute density: Not applicable/Not available due to the nature/properties of the product Relative density: 1.270

Relative vapour density: Not applicable/Not available due to the nature/properties of the product Particle characteristics: Not applicable/Not available due to the nature/properties of the product

9.2 Other information

Viscosity: Not applicable/Not available due to the nature/properties of the product Explosive properties: Not applicable/Not available due to the nature/properties of the product Oxidizing properties: Not applicable/Not available due to the nature/properties of the product Dropping point: Not applicable/Not available due to the nature/properties of the product Blink: Not applicable/Not available due to the nature/properties of the product

SECTION 10: STABILITY AND REACTIVITY.

10.1 Reactivity.

The product does not present hazards by their reactivity.

10.2 Chemical stability.

- Unstable in contact with:
- Acids.
- Bases.
- Oxidizing agents.

10.3 Possibility of hazardous reactions.

Neutralization can occur on contact with bases. In certain conditions this may cause a polymerization reaction.

10.4 Conditions to avoid.

- Avoid the following conditions:
- Heating.
- High temperature.
- Contact with incompatible materials.
- Avoid contact with bases.

(in accordance with Regulation (EU) 2020/878)

SMART P



Version 1Date of compilation: 2/07/2019Version 4 (replaces version 3)Revision date: 25/03/2022

Page 7 of 11 Print date: 27/10/2022

10.5 Incompatible materials.

Avoid the following materials:

- Acids.
- Bases.
- Oxidizing agents.

10.6 Hazardous decomposition products.

Depending on conditions of use, can be generated the following products:

- COx (carbon oxides).
- Organic compounds.
- Corrosive vapors or gases.

SECTION 11: TOXICOLOGICAL INFORMATION.

IRRITANT MIXTURE. The inhalation of spray mist or suspended particulates can irritate the respiratory tract. It can also cause serious respiratory difficulties, central nervous system disorders, and in extreme cases, unconsciousness. **11.1 Information on hazard classes as defined in Regulation (EC) Nº 1272/2008.** Splatters in the eyes can cause irritation and reversible damage.

Toxicological information about the substances present in the composition.

Name	Acute toxicity				
Naille	Туре	Test	Kind	Value	
		LD50	Rat	1530 mg/kg bw [1]	
	Oral	[1] BIOFAX IndustrialBio-Test Laboratories, Inc., Data Sheets. Vol. 17-4/1970			
phosphoric acid . %, orthophosphoric acid. %		LD50	Rabbit	2740 mg/kg bw [1]	
	Dermal	[1] BIOFAX Industrial Bio-Test Laboratories, Inc., Data Sheets. Vol. 17-4/1970			
		LC50	mouse	25.5 mg/m ³ air [1]	
CAS No: 7664-38-2 EC No: 231-633-2	Inhalation	[1] Toxicological Characteristics of Phosphoric Acid and Some of Its Chromium Salts Used as Binding Agents in the Production of Refractory Materials, 1983.			

a) acute toxicity;

Not conclusive data for classification.

Acute Toxicity Estimate (ATE): Mixtures: ATE (Dermal) = 5.301 mg/kg ATE (Oral) = 2.410 mg/kg

b) skin corrosion/irritation;Product classified:Skin Corrosive, Category 1B: Causes severe skin burns and eye damage.

c) serious eye damage/irritation; Product classified: Serious eye damage, Category 1: Causes serious eye damage.

d) respiratory or skin sensitisation; Not conclusive data for classification.

e) germ cell mutagenicity; Not conclusive data for classification.

f) carcinogenicity; Not conclusive data for classification.

g) reproductive toxicity; Not conclusive data for classification.

h) STOT-single exposure;

(in accordance with Regulation (EU) 2020/878)

SMART P



Version 1 Date of compilation: 2/07/2019

Version 4 (replaces version 3) Revision date: 25/03/2022

Page 8 of 11 Print date: 27/10/2022

Product classified:

Specific target organ toxicity following a single exposure, Category 3: May cause respiratory irritation.

i) STOT-repeated exposure; Not conclusive data for classification.

j) aspiration hazard; Not conclusive data for classification.

11.2 Information on other hazards.

Endocrine disrupting properties

This product does not contain components with endocrine-disrupting properties with effects on human health.

Other information

There is no information available on other adverse health effects.

SECTION 12: ECOLOGICAL INFORMATION.

12.1 Toxicity.

Name	Ecotoxicity				
Name	Туре	Test	Kind	Value	
	Fish	LC50	Oryzias latipes	75.1 mg/L (96 h) [1]	
		[1] summaryof study report, 2005			
phosphoric acid . %, orthophosphoric acid. $\%$	Aquatic	EC50	Daphnia magna	>100 mg/L (48 h) [1]	
	invertebrates	[1] study re	eport, 2010		
	Aquatic plants	EC50	Desmodesmus subspicatus	>100 mg/L (72 h) [1]	
CAS No: 7664-38-2 EC No: 231-633-2		[1] study re	eport, 2010		

12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present.

No information is available about persistence and degradability of the product.

12.3 Bioaccumulative potential.

Information about the bioaccumulation of the substances present.

Name	Bioaccumulation				
Name	Log Pow	BCF	NOECs	Level	
2-aminoethanol, ethanolamine	-1,31	_	_	Verv low	
CAS No: 141-43-5 EC No: 205-483-3	-1,51	_		Very IOW	

12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways. Prevent penetration into the ground.

12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

12.6 Endocrine disrupting properties.

This product doesn't contain components with environmental endocrine disrupting properties.

12.7 Other adverse effects.

No information is available about other adverse effects for the environment.

(in accordance with Regulation (EU) 2020/878)

SMART P



Version 1Date of compilation: 2/07/2019Version 4 (replaces version 3)Revision date: 25/03/2022

Page 9 of 11 Print date: 27/10/2022

SECTION 13: DISPOSAL CONSIDERATIONS.

13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

SECTION 14: TRANSPORT INFORMATION.

Transport following ADR rules for road transport, RID rules for railway, ADN for inner waterways, IMDG for sea, and ICAO/IATA for air transport.

Land: Transport by road: ADR, Transport by rail: RID. Transport documentation: Consignment note and written instructions Sea: Transport by ship: IMDG. Transport documentation: Bill of lading <u>Air</u>: Transport by plane: ICAO/IATA. Transport document: Airway bill.

14.1 UN number or ID number.

UN No: UN1760

14.2 UN proper shipping name.

Description: ADR/RID: UN 1760, CORROSIVE LIQUID, N.O.S. (CONTAINS PHOSPHORIC ACID . %, ORTHOPHOSPHORIC ACID. % / 2-AMINOETHANOL ETHANOLAMINE), 8, PG II, (E) IMDG: UN 1760, CORROSIVE LIQUID, N.O.S. (CONTAINS PHOSPHORIC ACID . %, ORTHOPHOSPHORIC ACID. % / 2-AMINOETHANOL ETHANOLAMINE), 8, PG II ICAO/IATA: UN 1760, CORROSIVE LIQUID, N.O.S. (CONTAINS PHOSPHORIC ACID . %, ORTHOPHOSPHORIC ACID. % / 2-AMINOETHANOL ETHANOLAMINE), 8, PG II

14.3 Transport hazard class(es).

Class(es): 8

14.4 Packing group.

Packing group: II

14.5 Environmental hazards. Marine pollutant: No

Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): F-A,S-B

14.6 Special precautions for user.

Labels: 8



Hazard number: 80 ADR LQ: 1 L IMDG LQ: 1 L ICAO LQ: 0,5 L

Provisions concerning carriage in bulk ADR: Not authorized carriage in bulk in accordance with ADR. Proceed in accordance with point 6.

14.7 Maritime transport in bulk according to IMO instruments.

The product is not transported in bulk.

(in accordance with Regulation (EU) 2020/878)

SMART P



Version 1 Date of compilation: 2/07/2019

Version 4 (replaces version 3) Revision date: 25/03/2022

Page 10 of 11 Print date: 27/10/2022

SECTION 15: REGULATORY INFORMATION.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

Product classification according to Annex I of Directive 2012/18/EU (SEVESO III): N/A

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION.

Complete text of the H phrases that appear in section 3:

- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.

Classification codes:

Acute Tox. 4 : Acute toxicity (Dermal), Category 4 Acute Tox. 4 : Acute toxicity (Inhalation), Category 4 Acute Tox. 4 : Acute toxicity (Oral), Category 4 Eye Dam. 1 : Serious eye damage, Category 1 STOT SE 3 : Specific target organ toxicity following a single exposure, Category 3 Skin Corr. 1B : Skin Corrosive, Category 1B

Changes regarding to the previous version:

- Changes in the information of the supplier (SECTION 1.3).
- Modification of specific hazards (SECTION 2.3).
- Changes in the composition of the product (SECTION 3.2).
- Modification in the firefighting measures (SECTION 5.2).
- Modifications in the accidental release measures (SECTION 6.1).
- Modification of exposure data (SECTION 8.1).
- Modification in the values of the physical and chemical properties (SECTION 9).
- Modification of toxicity values (SECTION 11.1).
- Change in the hazard classification (SECTION 11.1).
- Modification of ecological information values (SECTION 12.1).
- Modification of the classification ADR/IMDG/ICAO/IATA/RID (SECTION 14).
- Elimination of abbreviations and acronyms (SECTION 16).
- Addition of abbreviations and acronyms (SECTION 16).

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data Health hazards Calculation method Environmental hazards Calculation method

(in accordance with Regulation (EU) 2020/878)

SMART P



Version 1 Date of compilation: 2/07/2019

Version 4 (replaces version 3) Revision date: 25/03/2022

Page 11 of 11 Print date: 27/10/2022

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

ADR/RID: European Agreement concerning the International Carriage of Dangerous Goods by Road.

- BCF: Bioconcentration factor.
- CEN: European Committee for Standardization.
- DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.
- DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.
- EC50: Half maximal effective concentration.
- PPE: Personal protection equipment.
- IATA: International Air Transport Association.
- ICAO: International Civil Aviation Organization.
- IMDG: International Maritime Code for Dangerous Goods.
- LC50: Lethal concentration, 50%.
- LD50: Lethal dose, 50%.
- NOEC: No observed effect concentration.
- RID: Regulations Concerning the International Transport of Dangerous Goods by Rail.

Key literature references and sources for data: http://eur-lex.europa.eu/homepage.html http://echa.europa.eu/ Regulation (EU) 2020/878. Regulation (EC) No 1907/2006. Regulation (EC) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.